Aluminum accessory Specification

# AS-AFT1312A5-1000
# AS-AFT1312A4-1000
# AS-AFT1312A4-35




E-mail:colors@colorsled.com
Version：A00
www.colorsled.com

## 【Features】

· **Material**: aluminum;


· **Operating environment**: indoor and outdoor;

· **Installation**: screw flat mounting;


· **Warranty**: 6 years.


## 【Mechanical Parameter】

### AS-AFT1312A5-1000






### AS-AFT1312A4-1000







**AS-AFT1312A4-35**






## 【Specification information】

| Describe | Accessories Picture | Order model | Quantity/ case (PCS) | Net weight (kg) | Per box net weight (kg) | Gross weight (kg) | Packages (mm) | Range of applications |
|---|---|---|---|---|---|---|---|---|
| Recessed Shaped Slot |  | AS-AFT1312A5-1000 | 15 | 0.258 | 3.87 | 4.87 | 1180*125*115 | suit to:AFT1312/AHT1312/ ANT1312/NMT1312/ACT1312 AFT1312U/AHT1312U/NMT1312U |
| Side opening card slot |  | AS-AFT1312A4-1000 | 40 | 0.149 | 5.96 | 6.96 | 1180*125*115 | suit to:AFT1312/AHT1312/ ANT1312/NMT1312/ACT1312 AFT1312U/AHT1312U/NMT1312U |
| Side opening clip |  | AS-AFT1312A4-35 | 400 | 0.005 | 2 | 2.3 | 250*250*150 | suit to:AFT1312/AHT1312/ ANT1312/NMT1312/ACT1312 AFT1312U/AHT1312U/NMT1312U |

## 【Precautions】

· Do not use any acid or alkaline adhesive to fix products(including not limited to glass cement,etc).

· Please use professional cutting tools when cutting.