
Product Datasheet

www.1-light.eu

13 Plafo>The Floating Backlit Plafo CCT V

62002A/B/V



22W+3W CCT Variable LED backlit plafo.


Complete with non-dimmable driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V 90 CRI CE

Downloads

Dimensions



Physical Specification

Item Group	13 Plafo
Family	The Floating Backlit Plafo CCT V
Order Code	62002A/B/V
Colour	Black
Material	ABS + PC
Shape	Circular
Height	41mm
Diameter	300mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⧈
Power(Watts)	22W+3W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Safety Class	⧈
IP Rating	IP20
Light Source	LED built in
LED Type	SMD
F Mark	F

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Safety Class	⧈
Dimmable	No

Illumination Data

Colour Code	2700K-3200K-4000K
Lumen Output	2400lm
Light Efficiency	96lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Weight	1.000kg
Pcs/Carton	10
Barcode	5291889092742
HS Code	9405114090

Certification & Warranty

Warranty	3 years

switch to
one light!

