Product Datasheet

www.1-light.eu

16 Hotel & Bedroom>Reading Spots Aluminium

65738A/B/W



3W LED bedside adjustable fitting ideal for room hotel installation, IP20.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI ADJUSTABLE CE

Downloads

IES

Dimensions



Physical Specification

Item Group	16 Hotel & Bedroom
Family	Reading Spots Aluminium
Order Code	65738A/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	200mm
Diameter	80mm
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	4V
Safety Class	
Power(Watts)	2,8W
IP Rating	IP20
Light Source	LED built in
LED Brand	Osram

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,75-2,8W
Power Factor	0,5

Constant Current	Yes
700mA	2,5-4v
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	160lm
Light Efficiency	53,33lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	

Packing Info

Box Length	18,5cm
Box Width	18,5cm
Box Height	8,5cm
Box Weight	0.479kg
Pcs/Carton	24
Barcode	5291889055280
HS Code	9405413990

Certification & Warranty

Warranty	2 years

switch to
one light!

