COLORS
Linear Lighting

Version V1.0

Specification

Curve Lighting System

AS3535-15A45/90

www.colorsled.com TEL：+86-755-2923 1888 E-mail：colors@colorsled.com

Version V1.0

AS3535-15A45/90









Features

- Various installation ways: pendant, recessed and surface mounted
- Ever-changing shapes generated by means of super free application and connections of lines and arcs
- Flexible diffuser making it easy for installation without connections for over length application and light leakage
- Specially designed light source with diffusers producing homogeneous and soft lighting
- AL6063-T5 aluminum profile with high-quality surface treatment and three optional colors of black, white and silver






www.colorsled.com TEL：+86-755-2923 1888 E-mail：colors@colorsled.com

Details




Optional Accessories


Picture	Item	Parameter	Model
	①Profile	Material：AL6063-T5 Profile weight：0.49kg/ D1500mm，45° Size： 35x35mm，D1500mm，45° 35x35mm，D1500mm，90° Surface processing: Spray	AS3535-15A45/90
	②Cover	Size：L20000*W32*H3.5mm Light transmittance: 55%	CV-AS3535FD
	③End cap	Size：L35*W35*H1.5mm	EC-AS3535
	④Rigid modular	Material:AL,CCT:2700/3000/3500/4000/5000/6500K；CRI＞80/90；Voltage：24V；Power： 11.6W/pcs；Lumen：1740Lm/m；Width：20mm；Minimum cutting unit：16LEDs；	DY8160-24V-20mm-15A45
	Pendant accessory	Size：φ350*H2*0.60mm	PY-C

Picture	Item	Parameter	Model
	Pendant cable	Steel cable：D1.5*2000\4000mm\maximum load bearing:13Kg	PN-W
	Pendant cable	Size:20AWG\2000mm\maximum load bearing:6.5Kg	PE-K
	Recessed buckle	Size：L78*W34*H15mm	RE-13
	Connect fitting	Size：L30*W23.5*H4.6mm	EX-26
	Mounting clip	Size：33.5*8.5*5.6mm	CL-05
	Screw set	Size：M3.5*40mm	CL-01

Optical Parameter

AS3535-15A45 module\DY8160-24V-20mm-15A45 light source, frosted diffuser





Note:The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

Package



Components	Packaging material	Size(mm)	NW(kg)	GW(kg)	Content
15A45	Hat box	675*260*158mm	10.62	13.62	18pcs/box
15A90	Hat box	1170*435*158mm	21.24	24.24	18pcs/box