
COLORS
Linear Lighting

Linear Luminaires

LINE ECO Series

—

User Manual




Use Suggestion


1. Please read this manual carefully before installation and use it in the correct way.
2. This manual also contains the attached instructions.
3. Please keep this manual properly after reading and understanding it, so that the owner of this product can refer to it at any time.

www.colorsled.com colors@colorsled.com


1. Single Lamp (Electrical) Operating Instructions



1. Non-dimming wiring instructions




2. 1-10V wiring instructions




3. DALI dimming wiring instructions


2.Pendant




1. Prepare the necessary accessories for installation




2.Select the appropriate length L, drive the rubber stopper into the corresponding position, and fix the lifting hardware accessories.




3. Fasten the junction box carrier to the ceiling and connect the wiring




4. Tighten the other end of the steel wire and fix it to the clips, then fix the clips to the profile



5. Connect the cable to the ceiling at the appropriate position.




6. Fit the power cable into the junction box and connect it, fasten the junction box




7. Installation completed


3.Surface-mounted




1. Prepare the necessary accessories for installation



2. Measure out the distance L between the mounting clips (the location of the clip need to avoid the outlet hole), use the wall panel screws to fix the ceiling clamps and open a hole for the power cable in the ceiling.




3. Connect the power cable according to the single-lamp (electrical) operating instructions and then snap the light fixture onto the profile slot by aligning the clips.




4. Complete the installation and turn on the power to light up the lamp.


4.Recessed




1. Cut slots in the ceiling of the width shown in the figure



2. Connect the input wires according to the single-lamp (electrical) operating instructions



3. Stand up the spring clips on both sides of the lamp body and insert them into the slots opened in the ceiling.



4. Schematic diagram of the completed installation