

OT PROGRAMMER/5 (NEW)

OT Programmer for 2DIM UNV P7 | Accessories

Product family features



Product family benefits

- Easy programming of OPTOTRONIC® 2DIM UNV P7 via DIM interface
- USB connection to programming PC (OT 2DIM UNV P7 programming software required)

Areas of application


- For programming of OPTOTRONIC® 2DIM UNV P7 LED drivers

Technical data

Electrical data

Mains frequency	0 Hz
Nominal voltage	5.00 V
System wattage	0 W

Dimensions & weight



Diameter	not relevant
Height	28.0 mm
Length	120.0 mm
Width	76.0 mm
Product weight	240.00 g

Colors & materials

Product color	Black
----------------------	-------

Temperatures & operating conditions

Ambient temperature range	0...+50 °C
----------------------------------	------------

Certificates & standards

Type of protection	IP20
--------------------	------

Logistical data

Commodity code	85437090990
----------------	-------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Declaration No. in SCIP database	In work
Date of Declaration	10-07-2024
Primary Article Identifier	4062172171632
SCIP_STATUS	In work
SCIP_ID	

Download Data

File		
Declarations of conformity	PDF	▶ OT PROGRAMMER X CE 4257880 050923

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172171632	OT PROGRAMMER/5	Shipping carton box 20 Pieces	475 x 260 x 110 mm	13.59 dm ³	335.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.