

14 Wall & Ceiling LED>The COB LED Indoor Cylinders Aluminium

12115LA/W/W



15W COB LED ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads





Dimensions




Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The COB LED Indoor Cylinders Aluminium
Order Code	12115LA/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	115mm
Diameter	118mm
Surface Wall	Yes
Indoor	Yes
Adjustable	No


Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		15W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		350mA	
Voltage		42V	
Power(Watts)		14,7W	
IP Rating		IP20	
Light Source		LED built in	
LED Type		COB	
LED Brand		Philips	

Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		9,5-14,7W	
Power Factor		0,9	

Constant Current	Yes
350mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic


Illumination Data

Colour Temperature	3000K
Lumen Output	1300lm
Light Efficiency	86,67lm/W
CRI	80
Beam Angle	50°
Illumination Diagram	

Packing Info

Box Weight	0,5Kg
Pcs/Carton	36
Barcode	5291889044901
HS Code	9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

