

16 Bathroom & Mirror > The Mirror LED Range

**38121EL/C**



23W LED fitting ideal for installation above the bathroom mirror, IP44.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Product Type

Item Group

Family

Order Code

Colour

Material

Diffuser Material

Gear

16 Bathroom & Mirror

The Mirror LED Range

38121EL/C



Chrome

Die Cast

Acrylic


Shape	Rectangular
Length	880mm
Width	80mm
Height	40mm
Surface Wall	Yes
Indoor	Yes

## Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	23W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	90V
Power(Watts)	22,5W
IP Rating	IP44
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar

## Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	13,33-23W
Power Factor	0,9
Constant Current	Yes
250mA	50-95V
IP Rating	IP20
Safety Class	
Dimmable	No
Manufacturer	3AAA

## Illumination Data

Colour Temperature	4000K
Lumen Output	1650lm
Light Efficiency	71,73lm/W
CRI	80
Illumination Diagram	

## Packing Info

Box Length	91cm
Box Width	11cm
Box Height	7cm
Box Weight	1,4kg
Pcs/Carton	8
Barcode	5291889054603
HS Code	9405409900



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

