

14 Wall & Ceiling LED>The COB Moving Heads Spots Die cast

65110B/W/W



10W COB Moving head spot suitable for wall and ceiling installation, IP20 .

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery





Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The COB Moving Heads Spots Die cast
Order Code	65110B/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	157mm


Width	57mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	36V
Power(Watts)	9W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Epistar

Gear	
------	--

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8-12W
Power Factor	0,9
Constant Current	Yes
250mA	32-48V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Manufacturer	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	900lm
Light Efficiency	90lm/W
CRI	80
Beam Angle	60
Illumination Diagram	

Packing Info

Box Length	15cm
Box Width	10,5cm
Box Height	21cm
Box Weight	0,75kg
Pcs/Carton	10
Barcode	5291889047384
HS Code	9405409900



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

