

## 14 Wall & Ceiling LED>Reading Spots

## 65738A/W/W



3W COB LED bedside adjustable fitting ideal for room hotel installation, IP20.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads






### Dimensions




### Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Reading Spots
Order Code	65738A/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	200mm
Diameter	80mm
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions


Gear		Built In	
Fitting + Driver			
Input Voltage		100-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		3W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		700mA	
Voltage		4V	
Safety Class			
Power(Watts)		2,8W	
IP Rating		IP20	
Light Source		LED built in	
LED Type		COB	
LED Brand		Lumileds	

Gear			
Gear Type		Led Driver	
Input Voltage		100-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		1,6-3W	

Power Factor	0,5
Constant Current	Yes
700mA	2,2-4,2v
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Eaglerise

#### Illumination Data

Colour Temperature	3000K
Lumen Output	160lm
Light Efficiency	53,33lm/W
CRI	85
Beam Angle	36°
Illumination Diagram	

#### Packing Info

Box Length	18,5cm
Box Width	18,5cm
Box Height	8,5cm
Box Weight	0,46Kg
Pcs/Carton	24
Barcode	5291889049814
HS Code	9405409900

#### Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

**one**  
LIGHT

