

19 Wall Recessed & Inground>Inground Decking Sets


69002A/W



LED inground for decking and stairs, set of 6pcs with independent plug + 1 meter cable.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Inground Decking Sets
Order Code	69002A/W
Colour	Stainless Steel
Material	Stainless Steel 316
Shape	Circular
Height	40mm
Diameter	35mm
Cutout Hole Diameter	30mm
Inground	Yes
Depth Required	60mm
Indoor	Yes

Outdoor

Yes

Adjustable

No

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

6x0,5W

IP Rating

IP67

Light Source

LED built in

Dimmable

No

Cable Length

2m/2m

F Mark



Fitting

Input Type

Constant Voltage

Input Voltage

12V DC

Safety Class



Power(Watts)

3W

IP Rating

IP67

Light Source

LED built in

LED Number

6

Gear

Gear Type


Led Driver

Input Voltage


100-240V

50 Hz

Yes

60 Hz	Yes
Power(Watts)	6W
Power Factor	0,5
Constant Voltage	Yes
12 V	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector


Illumination Data

Colour Temperature	3000K
Lumen Output	40lm/LED
Light Efficiency	80lm/W
Illumination Diagram	

Packing Info

Pcs/Carton	6
Barcode	5291889065869
HS Code	9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

