

19 Wall Recessed & Inground>The GX53 Inground Range Stainless steel

69008



Inground, stainless steel light with GX53 lampholder. In and out glands for easy connection.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

19 Wall Recessed & Inground

Family

The GX53 Inground Range Stainless steel

Order Code

69008

Colour

Stainless Steel

Material

Stainless Steel 316

Shape

Rectangular

Length



122mm

| | |
|----------------------|---------------------|
| Width | 122mm |
| Height | 75mm |
| Cutout Hole Diameter | 110mm |
| Inground | Yes |
| Depth Required | 90mm+300mm drainage |
| Indoor | Yes |
| Outdoor | Yes |

Electrical Characteristics

| | |
|------|----|
| Gear | No |
|------|----|

Fitting + Driver

| | |
|-----------------|---------------------------------------------------------------------------------------|
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 9W |
| IP Rating | IP67 |
| Light Source | Replaceable lamp |
| Lamp Holder | GX53 |
| Number of Lamps | 1 |
| Dimmable | N/A |
| F Mark |  |


Illumination Data

| | |
|----------------------|---------------------------------------------------------------------------------------|
| Illumination Diagram |  |
|----------------------|---------------------------------------------------------------------------------------|

Packing Info

| | |
|------------|---------------|
| Pcs/Carton | 20 |
| Barcode | 5291889024811 |

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

