

# CERTIFICATE

Issued to:  
Applicant:  
**Niko N.V.**  
**Industriepark West 40**  
**9100 Sint-Niklaas, Belgium**

Manufacturer/Licensee:  
**Niko N.V.**  
**Industriepark West 40**  
**9100 Sint-Niklaas, Belgium**

Product(s) : combination of push-button switches, serie A, B, C, D, E and G  
Trade name(s) : NIKO  
Type(s)/model(s) : 170-750\*\*/\*\*-61505/-, 170-750\*\*r/\*\*-61505/-

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard EN 60669-1:1999 + A1: 2002 + A2: 2004
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 900367

DEKRA hereby grants the right to use the KEMA-KEUR certification mark.

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration of the KEMA-KEUR certification agreement and under the conditions of the KEMA-KEUR certification agreement.

This certificate is issued on 3 April 2015 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 2181988.05

DEKRA Certification B.V.



drs. G.J. Zoetbrood  
Managing Director



H.L. Schendstok  
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY THE  
DUTCH ACCREDITATION  
COUNCIL



**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

product	:	combination of push-button switches, serie A, B, C, D, E and G
trade name	:	NIKO
types	:	170-750**/**-61505/-, 170-750**r/**-61505/-
pattern no.	:	6+6
method of mounting	:	flush-type; screw- or claw-fixing
rated current	:	10 A
rated voltage	:	250 V~
markings	:	-tradename, series-indication and electrical ratings on the base -tradename and suffix for the cover on this part

**Additional information**

This installation switch is intended to be used with the cover of the Serie A, B, C, D, E or G.

These covers have been constructed as follows:

**Serie A**

Duoshell (bottom shell: PC/ASA / top shell: zamac, PC/ASA)

**Serie B**

Monoshell (PC/ASA)

**Serie C**

Duoshell (bottom shell: PC/ASA / top shell: inox, metal, forbo, plexi, aluminium, brass, PU+PA, PU)

**Serie D**

Duoshell (bottom shell: PC/ASA / top shell: bamboo, aluminium)

**Serie E**

Monoshell (PC/ASA)

**Serie G**

(PF, optional top shell: PU, resin+sand)

**Product data - type 170-750\*\*/\*\*-61505/-**  
terminals : screw terminals

**Product data - type 170-750\*\*r/\*\*-61505/-**  
terminals : screwless terminals

## TESTS

### Test requirements

EN 60669-1:1999 + A1:2002 +A2:2008

### Test result

The test results are laid down in DEKRA test file 2181988.05.

### Remarks

This certificate replaces our certificate 2175350.05 dated 2015-01-15 and is also based on the SGS CEBEC CB BE-5958.

### Conclusion

The examination proved that all test requirements were met.

Tested by : SGS CEBEC

Checked by : H.R.M. Barends



### Factory locations

Niko N.V.  
Industriepark West 40, 9100, Sint-Niklaas  
Belgium