

CERTIFICATE

Issued to:
Applicant:
Niko N.V.
Industriepark West 40
9100 Sint-Niklaas, Belgium

Manufacturer/Licensee:
Niko N.V.
Industriepark West 40
9100 Sint-Niklaas, Belgium

Product(s) : combination of push-button and rocker, serie A, B, C, D, E and G
Trade name(s) : NIKO
Type(s)/model(s) : 170-756**/**-61505/-, 170-756**r/**-61505/-

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard EN 60669-1:1999 + A1: 2002 + A2: 2008
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 900367

DEKRA hereby grants the right to use the KEMA-KEUR certification mark.

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration of the KEMA-KEUR certification agreement and under the conditions of the KEMA-KEUR certification agreement.

This certificate is issued on 3 April 2015 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 2181988.06

DEKRA Certification B.V.



drs. G.J. Zoetbrood
Managing Director



H.L. Schendstok
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY THE
DUTCH ACCREDITATION
COUNCIL



SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

product	:	combination of push-button and rocker, serie A, B, C, D, E and G
trade name	:	NIKO
types	:	170-756**/**-61505/-, 170-756**r/**-61505/-
pattern no.	:	6+6
method of mounting	:	flush-type, screw- of claw-fixing
rated current	:	10 A resp. 10 AX
rated voltage	:	250 V~
markings	:	-tradename, series-indication and electrical ratings on the base -tradename and suffix for the cover on this part

Additional information

This installation switch is intended to be used with the cover plates of the series A, B, C, D, E or G.

These covers have been constructed as follows:

Serie A

Duoshell (bottom shell: PC/ASA / top shell: zamac, PC/ASA)

Serie B

Monoshell (PC/ASA)

Serie C

Duoshell (bottom shell: PC?ASA / top shell: inox, metal, forbo, plexi, aluminium, brass, PU+PA, PU)

Serie D

Duoshell(bottom shell: PC/ASA / top shell: bamboo, aluminium)

Serie E

Monoshell (PC/ASA)

Serie G

(PF, optional top shell: PU, resin+sand)

Product data - type 170-756/**-61505/-**
terminals : screw terminals

Product data - type 170-756r/**-61505/-**
terminals : screwless terminals

TESTS

Test requirements

EN 60669-1:1999 + A1:2002 + A2:2008

Test result

The test results are laid down in DEKRA test file 2181988.06.

Remarks

This certificate replaces our certificate 2175350.06 dated 2015-01-15 and is also based on the SGS CEBEC CB BE-5958.

Conclusion

The examination proved that all test requirements were met.

Tested by : SGS CEBEC

Checked by : H.R.M. Barends



Factory locations

Niko N.V.
Industriepark West 40, 9100, Sint-Niklaas
Belgium